

WAVV 2005
Colorado Springs, CO

CICS TS RDO for Dummies

Presented by:
John Lawson

illustro Systems
1950 Stemmons Frwy, Suite 5001
Dallas, Texas 75207
Phone: 214-800-8900
<http://www.illustro.com>



Copyright © 2005 illustro Systems International, LLC

Trademarks

The following are registered trademarks of International Business Machines Corporation

CICS
IBM

The following are trademarks of International Business Machines Corporation

CICS/VSE	COBOL/VSE
PL/I VSE	VSE/ESA
ESA/390	POWER
VTAM	C/VSE
MVS/ESA	VM/ESA
S/390	

All other trademarks are trademarks of their respective companies.



Copyright © 2005 illustro Systems International, LLC

WAVV2005-2

Topics

- Resource Definition
- Objects to be Defined
- System Definition File (CSD)
- Resource Definition Online
- DFHCSDUP Batch Utility
- Automatic Installation
- System Programming
- Summary



Copyright © 2005 illustro Systems International, LLC

WAVV2005-3

Resource Definition

Use of the CICS System Definition File (CSD) is mandatory for CICS TS:

- All transactions (PCT entries)
- All Programs and BMS mapsets (PPT entries)
- All VTAM terminals, MRO/ISC links and sessions, VSE Console (TCT entries)

Use of the CSD is now optional but *recommended* for:

- All VSAM files

 Copyright © 2005 illustro Systems International, LLC WAVV2005-4

Resource Definition...

- Macro tables still supported
 - Command List Table (CLT)
 - Destination Control Table (DCT)
 - File Control Table (FCT)
 - Journal Control Table (JCT)
 - Monitoring Control Table (MCT)
 - Program List Table (PLT)
 - System Recovery Table (SRT)

 Copyright © 2005 illustro Systems International, LLC WAVV2005-5

Resource Definition...

- Macro tables still supported...
 - Terminal Control Table (TCT)
 - Logical Device Codes (3601, 3770, 3790, LUTYPE 4)
 - SAM terminals
 - Remote terminals for Transaction Routing (MRO, LUTYPE 6.2)
 - Terminal List Table (TLT)
 - Temporary Storage Table (TST)
 - Transaction List Table (XLT)

 Copyright © 2005 illustro Systems International, LLC WAVV2005-6

Resource Definition...

- Methods for defining CICS TS resources
 - Resource Definition Online (RDO)
 - Programs, transactions, VTAM terminals, VSAM files, sessions, connections
 - DFHCSDUP batch utility program
 - Programs, transactions, VTAM terminals, VSAM files, sessions, connections
 - Automatic installation (Autoinstall)
 - VTAM terminals, programs

 Copyright © 2005 illustro Systems International, LLC WAVV2005-7

Resource Definition...

- Methods for defining CICS TS resources...
 - Macro definition (tables)
 - Files, SAM terminals
 - Everything else
 - System Programming Interface
 - Many resources
 - Not permanently recorded anywhere (CSD or table)

 Copyright © 2005 illustro Systems International, LLC WAVV2005-8

Objects to be Defined

- Resources
 - Transactions, programs, files, terminals, etc.
 - Each must be defined as part of some Group
- Groups
 - Grouping of resources
 - Guidelines for groups
 - Keep groups small, <100 resource definitions per group
 - Logical groupings (by application, by control units, etc.)
 - Keep TYPETERMS in one group

 Copyright © 2005 illustro Systems International, LLC WAVV2005-9

Objects to be Defined...

- Lists
 - A list of groups that CICS activates on a CICS **COLD** start
 - Specified in SIT GRPLIST=list parameter
 - Up to 4 lists can be specified during startup
 - GRPLIST *not* used on WARM or EMER restart
 - Duplicate definitions
 - RDO definition replaces duplicates from macro table
 - Last group processed replaces duplicate in earlier groups

 Copyright © 2005 illustro Systems International, LLC WAVV2005-10

System Definition File

- Repository for objects
 - Resources, groups, lists
- VSAM KSDS dataset
- Can be shared by multiple CICS partitions
 - Same VSE system
 - Multiple VSE systems
 - CICS TS and CICS/VSE 2.3
- Should back up regularly
 - Now a critical resource

 Copyright © 2005 illustro Systems International, LLC WAVV2005-11

System Definition File...

- Supplied Definitions
 - CICS TS
 - DFHLIST - CICS startup list
 - DFHxxxx - CICS Groups
 - DFHxxxx - CICS Resources (Supplied CICS transactions, programs, terminals)
 - DFHTERM, DFHTYPE - Supplied CICS TERMINAL and TYPETERM definitions
 - DFH groups and lists are protected, copy to user defined group or list to modify

 Copyright © 2005 illustro Systems International, LLC WAVV2005-12

System Definition File...

- Supplied Definitions ...
 - VSE/ESA
 - VSELIST - VSE CICS startup list (includes many DFH groups)
 - VSESPG, CEE, TCP/IP, VSEAI62 - VSE Groups
 - All except DFHxx - VSE Resources for IUI, DITTO, ICCF, etc.
 - VSETERM, VSETERM1, VSETYPE - Supplied VSE TERMINAL and TYPETERM definitions
 - VSE groups and lists are not protected and can be modified.



Copyright © 2005 illustro Systems International, LLC WAVV2005-13

System Definition File...

Backup CSD

```

* $$ JOB JNM=CSDBACK, DISP=D, CLASS=A
// JOB CSDBACK
// LIBDEF PHASE, SEARCH=IJSYSRS.SYSLIB
// DLBL IJSYSUC, 'VSESP.USER.CATALOG', , VSAM
// PAUSE **** MOUNT OUTPUT TAPE FOR CSD BACKUP
// TLBL VSMRKUP, 'CSD.BACKUP', 100, '111111'
// ASSGN SYS005, 570
// EXEC IDCAMS, SIZE=AUTO
//   BACKUP (
//     CICS.CSD -
//   ) -
//   UNLD -
//   NOCOMPACT -
//   BUFFERS (3) -
//   STDLABEL (VSMRKUP)
/*
/ &
* $$ EOJ
  
```



Copyright © 2005 illustro Systems International, LLC WAVV2005-14

System Definition File...


Restore CSD

```

* $$ JOB JNM=CSDREST, DISP=L, CLASS=A
// JOB CSDREST RESTORE CICS CSD
// LIBDEF PHASE, SEARCH=IJSYSRS.SYSLIB
// PAUSE
// TLBL VSMREST, 'CSD.BACKUP', , '111111'
// ASSGN SYS004, 570
// EXEC IDCAMS, SIZE=AUTO
//   RESTORE OBJECTS (
//     (CICS.CSD -
//   ) -
//   CATALOG (VSESP.USER.CATALOG) -
//   STDLABEL (VSMREST) -
//   UNLD -
//   BUFFERS (3)
/*
/ &
* $$ EOJ
  
```



Copyright © 2005 illustro Systems International, LLC WAVV2005-15



-
- Resource Definition Online...**
- Transactions
 - CEDA
 - Full set of RDO commands
 - Define, change, delete and activate (INSTALL) resource definitions
 - CEDB
 - All commands except INSTALL command
 - CEDC
 - Read only commands
 - VIEW, EXPAND, DISPLAY
- The Illustro logo and copyright information are at the bottom.

-
- Resource Definition Online...**
- Commands
 - Resource Management
 - DEFINE
 - Creates a resource definition
 - ALTER
 - Modify the attributes of a resource (or resources)
 - VIEW
 - Display the attributes of a resource (or resources)
 - COPY
 - Creates new resources from existing definitions
- The Illustro logo and copyright information are at the bottom.

Resource Definition Online...

- **Commands...**
 - **Resource Management...**
 - **DELETE**
 - Delete resource definitions
 - **MOVE**
 - Change the groupings of resources
 - **RENAME**
 - Change the names of resources

 Copyright © 2005 illustro Systems International, LLC WAVV2005-19

Resource Definition Online...

- **Commands...**
 - **List management**
 - **ADD**
 - Adds a group to an existing list
 - Creates a new list if the list does not exist
 - **REMOVE**
 - Removes a group from a list
 - Deletes the list when the last group is removed
 - **APPEND**
 - Creates a new list from an existing list or combines lists

 Copyright © 2005 illustro Systems International, LLC WAVV2005-20

Resource Definition Online...

- **Commands...**
 - **General Purpose**
 - **CHECK**
 - Cross-checks definitions in a group or list
 - **DISPLAY**
 - Shows the names of groups or lists on the CSD file
 - **EXPAND**
 - Shows the contents of groups or lists
 - **LOCK, UNLOCK**
 - Controls update access to groups and lists

 Copyright © 2005 illustro Systems International, LLC WAVV2005-21

Resource Definition Online...

- **Commands...**
 - **General Purpose...**
 - **INSTALL**
 - Dynamically adds resources to the running CICS system
 - Inactive resources replaced
 - Active resources not replaced
 - Installed definitions stored in CICS global catalog
 - Effective across WARM or EMER restart
 - Add new groups to list in SIT GRPLIST for CICS COLD start

 Copyright © 2005 illustro Systems International, LLC WAVV2005-22

Resource Definition Online...

- **Example**
 - Define (in a Group named DEMOGRP)
 - A VSAM KSDS named TESTFIL
 - A LSRPOOL named DEMOLSR
 - A Program named TESTPROG
 - A Transaction named TEST calling TESTPROG
 - A Transaction Class named TRANCL5
 - A Terminal named TRM1

 Copyright © 2005 illustro Systems International, LLC WAVV2005-23

Resource Definition Online...

- **Example...**
 - Install Group DEMOGRP
 - Allows testing
 - Remains installed across WARM and EMER starts
 - Add the Group to List VSELIST
 - Will be installed at every COLD start
 - Expand the group to view contents
 - Modify the Group
 - Copy, rename, and delete resources

 Copyright © 2005 illustro Systems International, LLC WAVV2005-24

Resource Definition Online...

Invoke CEDA

```

define
ENTER ONE OF THE FOLLOWING

Add
Alter
Append
Check
Copy
Define
DElete
Display
Expand
Install
Lock
Move
REMove
REName
UNLock
Userdefine
View

SYSID=CIC1 APPLID=DBDCCICS

PF 1 HELP      3 END      6 CRSR      9 MSG      12 CNCL
  
```

Illustro
See The Light.[™]

Copyright © 2005 illustro Systems International, LLC WAVV2005-25

Resource Definition Online...

Invoke CEDA to Define File

```

DEFINE file
ENTER ONE OF THE FOLLOWING

Connection
Doctemplate
File
Larpool
Mapset
PARTitionset
PARTner
PROfile
PROgram
Sessions
Tcpipsservice
TERminal
TRANclass
TRANsaction
TYPeterm

SYSID=CIC1 APPLID=DBDCCICS

PF 1 HELP      3 END      6 CRSR      9 MSG      12 CNCL
  
```

Illustro
See The Light.[™]

Copyright © 2005 illustro Systems International, LLC WAVV2005-26

Resource Definition Online...

Define File - Screen 1

```

DEFINE FILE
OVERRIDE TO MODIFY
CEDA Define File( ) CICS RELEASE = 0410
File ==>
Group ==>
DEscription ==>
VSAM PARAMETERS
DSName ==>
Password ==> PASSWORD NOT SPECIFIED
Lspoolid ==> 01 1-15 | None
Catname ==>
DSNSharing ==> Noreqs Noreqs | Allreqs | Modifreqs
STRings ==> 001 1-255
Msggroup ==>
SHR4access ==> Key Key | Rba
REMOTE ATTRIBUTES
REMOTESystem ==>
REMOTEName ==>
RECORDSize ==> 1-32767
+ KeyLength ==> 1-255
MESSAGES: 2 SEVERE

SYSID=CIC1 APPLID=DBDCCICS

PF 1 HELP 2 COM 3 END      6 CRSR 7 SBB 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
  
```

Illustro
See The Light.[™]

Copyright © 2005 illustro Systems International, LLC WAVV2005-27

Resource Definition Online...

Define File - Screen 2

```

DEFINE FILE
OVERTYPE TO MODIFY
CEDA Define File( ) CICS RELEASE = 0410
+ INITIAL STATUS
STATUS ==> Enabled Enabled | Disabled | Unenabled
Opentime ==> Firstref Firstref | Startup
BUFFERS
Databuffers ==> 2-32767
Indexbuffers ==> 1-32767
DATATABLE PARAMETERS
Table ==> No No | Cics | User
Messagecc ==> 16-16777215
DATA FORMAT
RECORDFormat ==> V V | F
OPERATIONS
Add ==> No No | Yes
Browse ==> No No | Yes
Delete ==> No No | Yes
READ ==> Yes Yes | No
+ Update ==> No No | Yes
MESSAGES: 2 SEVERE SYSID=CIC1 APPLID=BDCCICS
PF 1 HELP 2 CCM 3 END 6 CSR 7 SBR 8 SFH 9 MSG 10 SB 11 SF 12 CNCL

```



Copyright © 2005 illustro Systems International, LLC WAVV2005-28

Resource Definition Online...

Define File - Screen 3

```

DEFINE FILE
OVERTYPE TO MODIFY
CEDA Define File( ) CICS RELEASE = 0410
+ AUTO JOURNALING
Journal ==> No No | 1-99
JNLRead ==> None None | Updateonly | Readonly | All
JNLSYNRead ==> No No | Yes
JNLUpdate ==> No No | Yes
JNLAdd ==> None None | Before | After | All
JNLSYNWrite ==> Yes Yes | No
RECOVERY PARAMETERS
RECOVERY ==> None None | Backoutonly | All
Pwrecovery ==> No No | 1-99
MESSAGES: 2 SEVERE SYSID=CIC1 APPLID=BDCCICS
PF 1 HELP 2 CCM 3 END 6 CSR 7 SBR 8 SFH 9 MSG 10 SB 11 SF 12 CNCL

```



Copyright © 2005 illustro Systems International, LLC WAVV2005-29

Resource Definition Online...

View Error Messages - PF9

```

DEFINE FILE
MESSAGES USE ENTER TO RETURN
S No GROUP value has been previously specified so there is no current value
to assume.
S An object must be specified.
SYSID=CIC1 APPLID=BDCCICS
PF 1 HELP 3 END 6 CSR 7 SBR 8 SFH 10 SB 11 SF 12 CNCL

```



Copyright © 2005 illustro Systems International, LLC WAVV2005-30

Resource Definition Online...

Define File - Successful Define - Screen 1

```

OVERTYPE TO MODIFY                                CICS RELEASE = 0410
CEDA DEFINE File( TESTFIL )
File      : TESTFIL
Group    : DEMOGRP
Description ==> THIS IS A TEST FILE

VSAM PARAMETERS
DSName   ==>
Password ==>          PASSWORD NOT SPECIFIED
Lsrpoolid ==> 10      1-15 | None
Catname  ==>
DSMSHaring ==> Noreqs  Noreqs | Allreqs | Modifyreqs
STRINGS  ==> 005      1-255
Nsrgroup ==>
SHRAccess ==> Key     Key | Rba

REMOTE ATTRIBUTES
REMOTESystem ==>
REMCVName ==>
RECORDSize ==>        1-32767
+ Keylength ==>        1-255
  1 New group DEMOGRP created.

DEFINE SUCCESSFUL                                SYSID=CIC1 APPLID=BDCCIC5
PF 1 HELP 2 COM 3 END                            TIME: 16.30.44 DATE: 00.028
                                                6 CRSR 7 SBH 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
  
```

illustro
See The Light™

Copyright © 2005 illustro Systems International, LLC WAVV2005-31

Resource Definition Online...

Define LSR Pool

```

define lsrpool
ENTER ONE OF THE FOLLOWING

Add
Alter
Append
Check
Copy
DEFINE
Delete
Display
Expand
Install
Lock
Move
REMove
REName
UNLock
Userdefine
View

SYSID=CIC1 APPLID=BDCCIC5
PF 1 HELP 3 END 6 CRSR 9 MSG 12 CNCL
  
```

illustro
See The Light™

Copyright © 2005 illustro Systems International, LLC WAVV2005-32

Resource Definition Online...

Define LSR Pool - Screen 1

```

DEFINE LSRPOOL G (DEMOGRP)
OVERTYPE TO MODIFY                                CICS RELEASE = 0410
CEDA DEFINE Lsrpool(
Lsrpool ==>
Group ==> DEMOGRP
Description ==>
Lsrpoolid ==> 01      1-15
Maxkeylength ==>      0-255
SHRrelimit ==>      1-100
STRINGS ==>          1-255

DATA BUFFERS
DATA512 ==>          3-32767
DATA1K ==>          3-32767
DATA2K ==>          3-32767
DATA4K ==>          3-32767
DATA8K ==>          3-32767
DATA12K ==>         3-32767
DATA16K ==>         3-32767
DATA20K ==>         3-32767
+ DATA4K ==>         3-32767
  5 An object must be specified.

SYSID=CIC1 APPLID=BDCCIC5
PF 1 HELP 2 COM 3 END                            6 CRSR 7 SBH 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
  
```

illustro
See The Light™

Copyright © 2005 illustro Systems International, LLC WAVV2005-33

Resource Definition Online...

Define LSR Pool - Screen 2

```

DEFINE LSRPOOL G (DEMOCR)
OVERTYPE TO MODIFY
CEDA DEFINE Lsrpool( ) CICS RELEASE = 0410
+ DATA28k ==> 3-32767
DATA12k ==> 3-32767
INDEX BUFFERS
INDEXS12 ==> 3-32767
INDEX1K ==> 3-32767
INDEX2K ==> 3-32767
INDEX4k ==> 3-32767
INDEX8k ==> 3-32767
INDEX12k ==> 3-32767
INDEX16k ==> 3-32767
INDEX20k ==> 3-32767
INDEX24k ==> 3-32767
INDEX28k ==> 3-32767
INDEX32k ==> 3-32767

S An object must be specified.
SYSID=CIC1 APPLID=DBDCCICS

PF 1 HELP 2 COM 3 END 6 CRSR 7 SBN 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
  
```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-34

Resource Definition Online...

Define LSR Pool Successful Define - Screen 1

```

OVERTYPE TO MODIFY
CEDA DEFINE Lsrpool( DEMOLSR ) CICS RELEASE = 0410
Lsrpool : DEMOLSR
Group : DEMOCR
DEscription ==>
Lsrpoolid ==> 06 1-15
Maskkeylength ==> 030 0-255
Sharelimit ==> 1-100
Strings ==> 010 1-255
DATA BUFFERS
DATA12 ==> 3-32767
DATA1K ==> 3-32767
DATA2K ==> 3-32767
DATA4k ==> 00010 3-32767
DATA8k ==> 00008 3-32767
DATA12k ==> 00014 3-32767
DATA16k ==> 3-32767
DATA20k ==> 3-32767
+ DATA24k ==> 3-32767

DEFINE SUCCESSFUL
SYSID=CIC1 APPLID=DBDCCICS

PF 1 HELP 2 COM 3 END 6 CRSR 7 SBN 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
  
```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-35

Resource Definition Online...

Define Program

```

define prog
ENTER ONE OF THE FOLLOWING

Add
Alter
Append
Check
Copy
DEfine
DElete
Display
Expand
Install
Lock
Move
REMove
REName
UNlock
USerdefine
View

SYSID=CIC1 APPLID=DBDCCICS

PF 1 HELP 3 END 6 CRSR 9 MSG 12 CNCL
  
```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-36

Resource Definition Online...

Define Transaction - Screen 3

```

DEFINE TRANS
OVERTYPE TO MODIFY                                CICS RELEASE = 0410
CEDA Define TRANSACTION( )
+ DTimeout ==> No                               No | 1-6800
  Inhibit ==> Backout                            Backout | Commit | Wait
  REstart ==> No                                 No | Yes
  SPurge ==> No                                 No | Yes
  TRurge ==> No                                 No | Yes
  Dump ==> Yes                                  Yes | No
  TRAcce ==> Yes                                  Yes | No
  Cnfdata ==> No                                 No | Yes
SECURITY
RESsec ==> No                                   No | Yes
CMssec ==> No                                   No | Yes
Extsec : No                                    No | Yes
TRAnSec : 01                                  1-64
RSL : 00                                       0-24 | Public

S An object must be specified.
SYSID=CIC1 APPLID=DBDCCICS

PF 1 HELP 2 COM 3 END          6 CRSR 7 SBB 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
  
```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-43

Resource Definition Online...

Define Transaction - Successful Define - Screen 1

```

OVERTYPE TO MODIFY                                CICS RELEASE = 0410
CEDA Define TRANSACTION( TEST )
Transaction : TEST
Group : DEMGRP
Description ==> THIS IS A TEST TRANSACTION
PROGRAM ==> TESTPROG
TWASize ==> 00200 0-32767
PROFILE ==> DFHCICST
Partitionset ==>
STATUS ==> Enabled                             Enabled | Disabled
PRIMedsize : 00000 0-65520
TASKDATALoc ==> Any                             Below | Any
TASKDATAKey ==> User                             User | Cics
STOrageclear ==> No                              No | Yes
RUnaway ==> System                               System | 0 | 500-2700000
SHutdwn ==> Disabled                             Disabled | Enabled
REMOTE ATTRIBUTES
Dynamic ==> No                                   No | Yes
+ REMOVSystem ==>
SYSID=CIC1 APPLID=DBDCCICS
DEFINE SUCCESSFUL
TIME: 16.39.12 DATE: 00.028
PF 1 HELP 2 COM 3 END          6 CRSR 7 SBB 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
  
```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-44

Resource Definition Online...

Define Transaction Class

```

define tranclass
ENTER ONE OF THE FOLLOWING
Add
Alter
Append
Check
Copy
DEfine
DElete
Display
Expand
Install
Lock
Move
REMove
REName
UNlock
USerdefine
View
SYSID=CIC1 APPLID=DBDCCICS
PF 1 HELP          3 END          6 CRSR          9 MSG          12 CNCL
  
```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-45

Resource Definition Online...

Define Transaction Class - Screen 1

```

DEFINE TRANCLASS
OVERTYPE TO MODIFY                                CICS RELEASE = 0410
CEDA DEFINE TRANClass (                          )
TRANClass ==>
Group ==>
Description ==>
CLASS LIMITS
Maxactive ==> 0-999
Purgeathresh ==> No      No | 1-1000000

MESSAGES: 2 SEVERE                                SYSID=CIC1 APPLID=BDCCICS
PF 1 HELP 2 COM 3 END                            6 CRSR 7 SBR 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
  
```

illustro
See The Light.[™]

Copyright © 2005 illustro Systems International, LLC WAVV2005-46

Resource Definition Online...

Define Transaction Class - Successful Define - Screen 1

```

OVERTYPE TO MODIFY                                CICS RELEASE = 0410
CEDA DEFINE TRANClass ( TRANCL5 )
TRANClass : TRANCL5
Group : DEMOCURP
Description ==>
CLASS LIMITS
Maxactive ==> 005      0-999
Purgeathresh ==> No      No | 1-1000000

DEFINE SUCCESSFUL                                SYSID=CIC1 APPLID=BDCCICS
PF 1 HELP 2 COM 3 END                            TIME: 16.13.00 DATE: 00.13
6 CRSR 7 SBR 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
  
```

illustro
See The Light.[™]

Copyright © 2005 illustro Systems International, LLC WAVV2005-47

Resource Definition Online...

Define Terminal

```

define term
ENTER ONE OF THE FOLLOWING

Add
Alter
Append
Check
Copy
DEFine
DELEte
Display
Expand
Install
Lock
Move
REMOve
REName
UNLock
USerdefine
View

SYSID=CIC1 APPLID=BDCCICS
PF 1 HELP      3 END      6 CRSR      9 MSG      12 CNCL
  
```

illustro
See The Light.[™]

Copyright © 2005 illustro Systems International, LLC WAVV2005-48

Resource Definition Online... 

Define Terminal - Screen 1

```

DEFINE TERM
OVERRIDE TO MODIFY                                CICS RELEASE = 0410
CEDA DEFINE Terminal( )
Terminal ==>
Group ==> DEMOGRP
Description ==>
AUTINSTModel ==> No           No | Yes | Only
AUTINSTName ==>
TERMINAL IDENTIFIERS
Tipeterm ==>
MName ==>
Consname ==>
REMOTESYSTEM ==>
REMOTESYSNet ==>
Modename ==>
ASSOCIATED PRINTERS
PRINTER ==>
PRINTERCopy ==> No           No | Yes
+ ALTPRINTER ==>
S An object must be specified.
SYSID=CIC1 APPLID=DBDCCICS
PF 1 HELP 2 COM 3 END                6 CRSR 7 SBN 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
    
```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-49

Resource Definition Online... 

Define Terminal - Screen 2

```

DEFINE TERM
OVERRIDE TO MODIFY                                CICS RELEASE = 0410
CEDA DEFINE Terminal( )
+ ALTPRINTERCopy ==> No           No | Yes
SPOOLto ==>
PIPELINE PROPERTIES
Pool ==>
Tsklimit ==> No           No | 1-32767
OPERATOR DEFAULTS
OPERid :
OPERPriority : 000           0-255
OPERrel : 0                 0-24,...
OPERSecurity : 1           1-64,...
PRESET SECURITY
USERid ==>
NAclang ==>
TERMINAL USAGES
Transaction ==>
TRmpriority ==> 000           0-255
+ Inservice ==> Yes           Yes | No
S An object must be specified.
SYSID=CIC1 APPLID=DBDCCICS
PF 1 HELP 2 COM 3 END                6 CRSR 7 SBN 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
    
```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-50

Resource Definition Online... 

Define Terminal - Screen 3

```

DEFINE TERM
OVERRIDE TO MODIFY                                CICS RELEASE = 0410
CEDA DEFINE Terminal( )
+ PRINTER DATA
SPOOLDest ==>
SPOOLPRTral ==> 00           0-24 | Public
SPOOLPRFto ==> 00           0-59
SPOOLFcb ==>
PRINTEdmsg ==> No           No | Yes
PRINTimed ==> No           No | Yes
SESSION SECURITY
Securityname ==>
ATtachsec ==> Local         Local | Identify | Verify | Persistent
| Mldgpe
BINDpassword ==>
BINDSecurity ==> No         PASSWORD NOT SPECIFIED
| No | Yes
USEDftuser ==> No         No | Yes
| No | Yes
S An object must be specified.
SYSID=CIC1 APPLID=DBDCCICS
PF 1 HELP 2 COM 3 END                6 CRSR 7 SBN 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
    
```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-51

Resource Definition Online...

Add the Group to a List

```

add g(demogrp) l(vselist)
ENTER ONE OF THE FOLLOWING

Add
Alter
Append
Check
Copy
DEfine
DELEte
Display
Expand
Install
Lock
Move
REMOve
REName
UNLock
Userdefine
View

SYSID=CIC1 APPLID=DBDCCICS

PF 1 HELP      3 END      6 CRSR      9 MSG      12 CNCL
  
```

Illustro
See The Light.[™]

Copyright © 2005 illustro Systems International, LLC WAVV2005-55

Resource Definition Online...

Add Group to List - Results

```

ADD G (DEMGRP) L (VSELIST)
OVERTYPE TO MODIFY
CEDA: Add
Group ==> DEMGRP
List ==> VSELIST
Before ==>
After ==>

SYSID=CIC1 APPLID=DBDCCICS
TIME: 11.08.00 DATE: 99.244

ADD SUCCESSFUL
PF 1 HELP      3 END      6 CRSR 7 SBR 8 SFH 9 MSG 10 SB 11 SF 12 CNCL
  
```

Illustro
See The Light.[™]

Copyright © 2005 illustro Systems International, LLC WAVV2005-56

Resource Definition Online...

Expand Group to View Contents

```

ex g(demogrp)
ENTER ONE OF THE FOLLOWING

Add
ALTER
Append
Check
Copy
DEfine
DELEte
Display
Expand
Install
Lock
Move
REMOve
REName
UNLock
Userdefine
View

SYSID=CIC1 APPLID=DBDCCICS

PF 1 HELP      3 END      6 CRSR      9 MSG      12 CNCL
  
```

Illustro
See The Light.[™]

Copyright © 2005 illustro Systems International, LLC WAVV2005-57

DFHCSDUP Batch Utility...

- Manage the CSD File
- Report on CSD contents
- Extract data from the CSD
- Define and maintain resources in the CSD
- Migrate resources from macro tables
 - PCT, PPT, TCT, FCT

 Copyright © 2005 illustro Systems International, LLC WAVV2005-67

DFHCSDUP Batch Utility...

- Commands
 - Manage the CSD file
 - INITIALIZE - create new CSD
 - UPGRADE - upgrade CSD with new release definitions
 - SERVICE - apply maintenance to CSD
 - VERIFY - release internal locks

 Copyright © 2005 illustro Systems International, LLC WAVV2005-68

DFHCSDUP Batch Utility...

- Commands...
 - Report on the CSD file
 - LIST - produce listings of objects in CSD
 - Extract data from the CSD
 - EXTRACT - extract definitions from CSD
 - Migrate resources from macro tables
 - MIGRATE - convert PCT, PPT, TCT, and FCT table entries to RDO
 - Reads phases from VSE libraries

 Copyright © 2005 illustro Systems International, LLC WAVV2005-69

DFHCSDUP Batch Utility...

- **Commands...**
 - **Process objects**
 - ADD, REMOVE a group to/from a list
 - ALTER a resource definition
 - APPEND a list to another list
 - COPY a group to another group
 - DEFINE a resource
 - DELETE a group or list
 - USERDEFINE a resource definition using your own defaults

 Copyright © 2005 illustro Systems International, LLC WAVV2005-70

DFHCSDUP Batch Utility...

Define Resources

```

* $$ JOB JNM=DEFGROUP,DISP=D,CLASS=0
// JOB DEFGROUP  DEFINE GROUP DEMOGRP
// EXEC DFHCSDUP
DELETE G(DEMOGRP)
DEFINE FILE(TESTFIL)      GROUP(DEMOGRP)  LSREPOOL(10)
      STRINGS(5)          DA(6)           IN(5)
      RECORDF(F)          BROWSE(YES)     UPDATE(YES)
DEFINE TRANS(TEST)       GROUP(DEMOGRP)  PROGRAM(TESTPROG)
      TWA(200)            TASKDATALOC(ANY)
DEFINE PROGRAM(TESTPROG) GROUP(DEMOGRP)  LANG(COBOL)
      DATA(ANY)
/*
/ε
* $$ EOJ

```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-71

DFHCSDUP Batch Utility...

- **Migrate existing table definitions**
 - Remove IBM CICS and VSE entries from table source
 - Use DFHxxx TYPE=GROUP,GROUP=name entries to generate multiple groups
 - OR
 - Break each table up into smaller parts, each part becoming a group

 Copyright © 2005 illustro Systems International, LLC WAVV2005-72

DFHCSDUP Batch Utility...

Output from MIGRATE Job

```

MIGRATE TABLE (DFHPPTJM)
DFHCA5120 I PRIMARY CSD OPENED; FILENAME: DFHCSD
DFHCA5144 I MIGRATION OF TABLE DFHPPTJM IN PROGRESS. DEFAULT GROUP IS PPTJM
DFHCA5143 I GROUP A001 CREATED.
DFHCA5159 I PROGRAM PROG01 DEFINED IN GROUP A001
DFHCA5159 I PROGRAM PROG02 DEFINED IN GROUP A001
DFHCA5159 I PROGRAM PROG03 DEFINED IN GROUP A001
DFHCA5159 I PROGRAM PROG04 DEFINED IN GROUP A001
DFHCA5159 I PROGRAM PROG05 DEFINED IN GROUP A001
DFHCA5143 I GROUP C001 CREATED.
DFHCA5159 I PROGRAM PROG11 DEFINED IN GROUP C001
DFHCA5159 I PROGRAM PROG12 DEFINED IN GROUP C001
DFHCA5159 I PROGRAM PROG13 DEFINED IN GROUP C001
DFHCA5159 I PROGRAM PROG14 DEFINED IN GROUP C001
DFHCA5159 I PROGRAM PROG15 DEFINED IN GROUP C001
DFHCA5140 I TOTAL PROGRAM DEFINITIONS CREATED: 10
DFHCA5101 I MIGRATE COMMAND EXECUTED SUCCESSFULLY.
DFHCA5123 I PRIMARY CSD CLOSED; FILENAME: DFHCSD
  
```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-76

Automatic Installation

- VTAM terminals and/or programs
- Create "models" using RDO or DFHCSDUP
 - Stored in CSD
- Program controlled
 - IBM or user programs
- Table entries dynamically created from models during CICS operation
 - Created only when needed

 Copyright © 2005 illustro Systems International, LLC WAVV2005-77

Automatic Installation...

- Terminal Autoinstall
 - No need to pre-define each terminal to CICS
 - Input from
 - VTAM terminal definition
 - MDLTAB table (VTMMDL.B from IUI)
 - CICS Autoinstall Model Definitions
 - TERMINAL AUTOINSTMODEL
 - TYPETERM
 - Autoinstall Program

 Copyright © 2005 illustro Systems International, LLC WAVV2005-78

Automatic Installation...

- Terminal Autoinstall...
 - Initialization parameters
 - AIEXIT exit program name
 - AILDELAY time delay before deletion following session termination
 - AIQMAX maximum number of concurrent installs
 - AIRDELAY time delay before deletion following emergency restart

 Copyright © 2005 illustro Systems International, LLC WAVV2005-79

Automatic Installation...

- Terminal Autoinstall...
 - Autoinstall Program
 - Input
 - VTAM NETNAME, VTAM LOGON data
 - List of autoinstall models
 - Output
 - CICS TERMID
 - Autoinstall model to use
 - Associated CICS printer TERMIDs

 Copyright © 2005 illustro Systems International, LLC WAVV2005-80

Automatic Installation...

- Terminal Autoinstall...
 - Autoinstall Program...
 - DFHZATDX and DFHZATDY (CICS-supplied)
 - Last four nonblank characters of VTAM NETNAME used for CICS TERMID
 - Documented in *CICS TS Customization Guide*
 - IESZATDX (VSE-supplied)
 - TERMID based on VSE/ESA naming conventions created by IUI terminal definition dialogs (Annn)
 - Uses VTAM model terminal support
 - Model name defined in IUI generated VTAM definitions
 - Documented in *VSE/ESA Networking Support*

 Copyright © 2005 illustro Systems International, LLC WAVV2005-81

Automatic Installation...

- Program Autoinstall
 - Eliminates need to pre-define each application program to CICS
 - CICS passes program name to autoinstall program
 - Autoinstall program returns action to be taken
 - CICS dynamically creates PPT entry
 - CICS-supplied program DFHPGADX
 - Most installations can probably used unchanged
 - Modify or write your own

 Copyright © 2005 illustro Systems International, LLC WAVV2005-82

Automatic Installation...

- Program Autoinstall...
 - Autoinstall Program
 - Controlled by initialization parameters
 - PGAEXIT=DFHPGADX|prog_name
 - PGAIPGM=ACTIVE|INACTIVE
 - PGAICTLG=MODIFY|NONE|ALL
 - Program input is name of program and object type
 - program, mapset, partitionset
 - Program output
 - Model name to be used
 - Specific definitions for program
 - Return code (install or not)

 Copyright © 2005 illustro Systems International, LLC WAVV2005-83

Automatic Installation...

- Program Autoinstall...
 - Parameters that can be set
 - Autoinstall model name
 - Programming language
 - CEDF - yes or no
 - Data location - below or any
 - Execution key - CICS or user
 - Load attribute - reload, resident, transient, reusable
 - Use SVA copy - yes or no
 - Execution set - DPL subset or full
 - Remote attributes - system, program, transaction
 - Return code - install or do not install program

 Copyright © 2005 illustro Systems International, LLC WAVV2005-84

Automatic Installation...

Default Program Autoinstall Model

```

OBJECT CHARACTERISTICS          CICS RELEASE = 0410
CEDA View Program( DFHPGAG )
PROGRAM          : DFHPGAGP
Group           : DFHPGALP
Description     : DEFAULT PROGRAM FOR PROGRAM AUTOINSTALL
Language       : CObol | Assembler | C | Pli
REload        : No           No | Yes
RESident      : No           No | Yes
USAge         : Normal       Normal | Transient
USEvaccopy    : No           No | Yes
Status        : Enabled      Enabled | Disabled
RSI           : 00           0-24 | Public
CedIF         : Yes          Yes | No
DATAlocation  : Below       Below | Any
EKECKey       : User        User | Cics
REMOTE ATTRIBUTES
REMOTESystem  :
REMOTENAME    :
Transid       :
EKECtionset  : Fullapi      Fullapi | Dplsubst
  
```

 Copyright © 2005 illustro Systems International, LLC WAVV2005-65

System Programming

- New support in CICS TS
- EXEC CICS CREATE and DISCARD commands in user programs
 - CREATE most resources
 - DISCARD some resources
- Definitions in running system only
 - Do not affect definitions on CSD
 - Lost on COLD start
- Whenever you want

 Copyright © 2005 illustro Systems International, LLC WAVV2005-66

Summary

- Resource Definition in the CSD
 - Facilitates definition and activation of PCT, PPT, TCT, and FCT resources in running CICS systems
 - Required for PCT, PPT, and TCT VTAM definitions
- Autoinstall for terminals and programs
 - Easier system definition
 - Possible reduced VS consumption

 Copyright © 2005 illustro Systems International, LLC WAVV2005-67
